

ENSTO

CIL109

Автоматический соединительный комплект

Тип	CIL109
GTIN	6438100320614
Название	Автоматический соединительный комплект жила \varnothing 14,7-18,4 мм, оболочка \varnothing 20,0 - 25,0 мм, 24 кВ
Описание	Применяется для соединения провода СИП-3 в пролете. Концы соединяемых жил должны быть зачищены. Комплект состоит из: автоматического соединительного зажима, двух трубок холодной усадки, мастики, силиконовой смазки и ПВХ-ленты. Монтируется без применения дополнительных инструментов.



Техническая спецификация

Dimensions

Масса:	0.85 kg
Диаметр по внешней изоляции:	20.0 ... 25.0 mm
Диаметр проводника:	14.7 ... 18.4 mm

Features

Для проводника сечением:	MV CC 157
--------------------------	-----------

Certificates

Стандарты:	EN 50397-2
------------	------------

Ratings

ETIM 7:	EC001169 Straight-through joint
---------	---------------------------------

Specification

Construction:

Construction:

Component	Material
Body	CIL tension splice with insulating outer tube
Cold shrink tube	Silicon insulation tube
Accessory kit	Sealing mastic
	PVC-tape
	Oil based silicon lubricant

Markings:

ENSTO, CIL109

ETIM**ETIM**

Number of conductors:	1
Halogen free:	true
Nominal cross section conductor:	157 mm ²
Model:	Cold-shrink
Material insulating material:	Plastic
Rated voltage U0/U (Um):	12/20 (24) kV

Упаковка**В стандартной упаковке**

Unit:	PCS
Количество:	12

