

ENSTO

CIL108

Автоматический соединительный комплект

Тип	CIL108
GTIN	6438100320607
Название	Автоматический соединительный комплект жила \varnothing 12,8-14,9 мм, оболочка \varnothing 17,5-22,0 мм, 24 кВ
Описание	Применяется для соединения провода СИП-3 в пролете. Концы соединяемых жил должны быть зачищены. Комплект состоит из: автоматического соединительного зажима, двух трубок холодной усадки, мастики, силиконовой смазки и ПВХ-ленты. Монтируется без применения дополнительных инструментов.



Техническая спецификация

Dimensions

Масса:	0.79 kg
Диаметр по внешней изоляции:	17.5 ... 22.0 mm
Диаметр проводника:	12.8 ... 14.9 mm

Features

Для проводника сечением:	MV CC 99-150
--------------------------	--------------

Certificates

Стандарты:	EN 50397-2
------------	------------

Ratings

ETIM 7:	EC001169 Straight-through joint
---------	---------------------------------

Specification

Construction:

Construction:

Component	Material
Body	CIL tension splice with insulating outer tube
Cold shrink tube	Silicon insulation tube
Accessory kit	Sealing mastic
	PVC-tape
	Oil based silicon lubricant

Markings:

ENSTO, CIL108

ETIM**ETIM**

Number of conductors:	1
Halogen free:	true
Nominal cross section conductor:	99 ... 150 mm ²
Model:	Cold-shrink
Material insulating material:	Plastic
Rated voltage U₀/U (U_m):	12/20 (24) kV

Упаковка**В стандартной упаковке**

Unit:	PCS
Количество:	12

