

Тонкие металлические скобы, тип 59



- **Для** скрепления текстиля, картона, плоских деревянных реек, проволочных сеток
- ▶ Для степлеров Rapid, Rocagraf

THE STATE OF THE S	on selection of the sel	Muns (D) ma D	ring (L) ma	CA AIII 3 34 K33 B	Spurmount	Elminus Filminus	FOBER TOBER TOP HOW	, o	
Свойства изд			Информация п						
10,6	0,72	6	2 609 200 239	C1a	1000	1	084390		
10,6	0,72	8	2 609 200 240	C1a	1000	1	084413		
10,6	0,72	10	2 609 200 241	C1a	1000	1	084420		
10,6	0,72	12	2 609 200 242	C1a	1000	1	084437		
10,6	0,72	14	2 609 200 243	C1a	1000	1	084444		


Скобы с узкой перекладиной, тип 55



- ▶ Для особо прочных соединений, даже для толстых материалов
- ▶ Для степлеров AEG, Bosch, Black & Decker, Buama, Esco, Kwb, Lux, Metabo, Novus, Wolfcraft

6	1,08	12	1 609 200 370	C1a	1000	1	004800	
6	1,08	14	1 609 200 371	C1a	1000	1	004817	
6	1,08	16	1 609 200 372	C1a	1000	1	004824	
6	1,08	18	2 609 200 223	C1a	1000	1	084239	
6	1,08	19	1 609 200 373	C1a	1000	1	004831	

Скобы с узкой перекладиной, тип 55, осмоленные



- ▶ Для скрепления стеновых и потолочных панелей в сочетании со стыковочными скобами и профильными скобами для древесины. Благодаря своим клеящим свойствам смоляное покрытие обеспечивает очень прочное крепление даже при длительной нагрузке.
- ► Для степлеров AEG, Bosch, Black & Decker, Buama, Esco, Kwb, Metabo, Novus, Wolfcraft

6	1,08	16	2 609 200 225	C1a	3000	1	084253	
6	1,08	19	1 609 200 389	C1a	1000	1	004992	
6	1,08	19	2 609 200 226	C1a	3000	1	084260	
6	1,08	23	1 609 200 374	C1a	1000	1	004848	
6	1,08	23	2 609 200 227	C1a	3000	1	084277	
6	1,08	26	1 609 200 388	C1a	1000	1	004985	
6	1,08	28	1 609 200 375	C1a	1000	1	004855	
6	1,08	28	2 609 200 228	C1a	3000	1	084284	
6	1,08	30	2 609 200 224	C1a	1000	1	084246	

