```
6.
6.1.
6.2.
6.3.
6.4.
                                                                 220 ,
6.5
                                                        .» («1»).
6.6
     220 .
    6.6.1.
      12,5 . ( . . 2.13.)
6.7
7.
8.1.
                                                                        - 12
8.2.
8.3.
                                                           www.k-eng.ru)
9.
                        -12/3,0,
```

www.k-eng.ru <u>www.birp.ru</u>): 8-800-234-34-00

: « - », 187450, , . , 47



-12/3,0 (14)

.436234.131

EAC

2017

1. 1.1.		-12/3,0 -	,	2-	_
1.1.		•			-
		, 220 50	•		-
	(, 004/2011 "	DT 1207-2 .).		";	:
1.2.	020/2011 "	,		•	
1.3.		•			
1.4.		•			
:	: 	+5° +40°; 95%; 84 106,7 .			

2.	-12/3,0
2.1	220 , (50±1)
2.2	150-265
2.3	(12,6±0,6) , . CEI IEC 1056-1
2.4 ,	14 (7+7)
2.5	13,0±2%
2.6 ,	3,0*
2.7 - 120)	3,5
2.8	24
2.9	13,5-13,8
2.10 , ,	150
2.11 , ,	0,43
2.12 ,	10,0 -11,1
2.13	- 12,5

				I
		,		325 225 92
(), ,			2,5
*			,	20% -30%
		(70%-80%
).				

3.		•	
			- , .
	1	()	1
	2		1
	3		1
	4		1
	5		2.

4. 80%

5. 5.1.

1000 . 5.2. 220

5.3. 5.4. 220 .

5.5.